


Replaces Exmark Radius E-Series Parts

52in Rotary Mower Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

Replaces Exmark Radius E-Series Parts



52in Rotary Mower Caster Wheel



| | R&R Part No. | OEM Part No. | Description | Qty Req | Orde Quantity | | | |
|---------------|--|---|--|------------------------------------|------------------|--|--|--|
| | onal Michelin Tweel Tir | | | | | | | |
| 30 | RTMT73818 | 109-9127, 117-0361, 126-3289, 126-4860 | Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load | 2 | | | | |
| | Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.: | | | | | | | |
| 30 | RTMT41011 | 109-9127, 117-0361, 126-3289, 126-4860 | Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load | 2 | | | | |
| | Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.: | | | | | | | |
| | radius mowers, and co which helps ensure the dampen the ride for en | mpletely eliminate the rist mower deck produces an hanced operator comfort | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel , even when navigating over curbs and o | height p | | | | |
| 31 | radius mowers, and co which helps ensure the dampen the ride for en | mpletely eliminate the rist mower deck produces an hanced operator comfort | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel , even when navigating over curbs and o | height p | | | | |
| | radius mowers, and con which helps ensure the dampen the ride for en bumps. They are design | mpletely eliminate the rist mower deck produces an hanced operator comfort | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel , even when navigating over curbs and of r life.: Michelin Spacer - 5/8in ID x | height p ther | | | | |
| | radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 | mpletely eliminate the rist mower deck produces an hanced operator comfort | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel , even when navigating over curbs and of r life.: Michelin Spacer - 5/8in ID x | height p ther 4 | | | | |
| 0 | radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 & Wheels | mpletely eliminate the rist mower deck produces an hanced operator comfort | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel ; even when navigating over curbs and of r life.: Michelin Spacer - 5/8in ID x 5/8in OD Click Here to View Complete Tire | height p ther 4 | | | | |
| 0 32 | radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 & Wheels TIRES | npletely eliminate the rist mower deck produces an hanced operator comfort ned to provide a long wea 1-523009, 125-5581, | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel ; even when navigating over curbs and of r life.: Michelin Spacer - 5/8in ID x 5/8in OD Click Here to View Complete Tire Selection Tire - 13x6.50-6 Nhs (4 Ply) | height p ther 4 | | | | |
| 0 32 33 | radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 & Wheels TIRES RCT5121861 | npletely eliminate the rist mower deck produces an hanced operator comfort ned to provide a long wea 1-523009, 125-5581, | k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel ; even when navigating over curbs and of r life.: Michelin Spacer - 5/8in ID x 5/8in OD Click Here to View Complete Tire Selection Tire - 13x6.50-6 Nhs (4 Ply) Carlisle Smooth Tire & Wheel - 13x6:50-6 | height p ther 4 2 2 | | | | |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Radius E-Series Parts

52in Rotary Mower Caster Wheel



| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|------|-------------------|----------------------|---|------------|-------------------|
| 33 | R117-0361 | 117-0361 | Tire & Wheel - 13x6.50-6 Pneumatic | 1 | |
| 33 | R109-9127 | 109-9127 | Tire & Wheel - 13x6.50-6 Flat Free | 1 | |
| 33 | RZSM422-0027-00 | | Tire & Wheel - 13x6.50-6 Carlisle Smooth | 1 | |
| Othe | r Parts Available | | | | |
| 50 | R126-4312-01 | 126-4312-01 | Fork - Caster | 2 | |
| 51 | R3234-5 | 3234-5 | Bolt - 5/16-18x3/4 Hx Ser Was HD | 2 | |
| 52 | R127-0068 | 127-0068 | Spanner Bushing - Castor Wheel | 2 | |
| 53 | R32128-23 | 32128-23, 99-5107 | Nut - Lock Hex Flanged 1/2-13 | 2 | |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.