


Replaces Exmark Radius E-Series Parts

48in Rotary Mower - Model RAE720CKC48300 Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



48in Rotary Mower - Model RAE720CKC48300 Caster Wheel



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
ptic	onal Michelin Tweel Tir	res						
30	RTMT73818	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2				
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
30	RTMT41011	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2				
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
	radius mowers, and co which helps ensure the dampen the ride for en	mpletely eliminate the ris mower deck produces an hanced operator comfort	k of flat tires. They have a consistent hub e even cut, while the poly-resin spokes hel , even when navigating over curbs and ot	height p				
31	radius mowers, and co which helps ensure the dampen the ride for en	mpletely eliminate the ris mower deck produces an hanced operator comfort	k of flat tires. They have a consistent hub e even cut, while the poly-resin spokes hel , even when navigating over curbs and ot	height p				
	radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design	mpletely eliminate the ris mower deck produces an hanced operator comfort	k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel , even when navigating over curbs and ot r life.: Michelin Spacer - 5/8in ID x	height p ther				
ires	radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193	mpletely eliminate the ris mower deck produces an hanced operator comfort	k of flat tires. They have a consistent hub even cut, while the poly-resin spokes hel , even when navigating over curbs and ot r life.: Michelin Spacer - 5/8in ID x	height p ther 4				
0	radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 & Wheels	mpletely eliminate the ris mower deck produces an hanced operator comfort	k of flat tires. They have a consistent hub neven cut, while the poly-resin spokes hel c, even when navigating over curbs and ot r life.: Michelin Spacer - 5/8in ID x 5/8in OD Click Here to View Complete Tire	height p ther 4				
0 32	radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 & Wheels TIRES	npletely eliminate the rist mower deck produces an ahanced operator comfort ned to provide a long wea 1-523009, 125-5581,	k of flat tires. They have a consistent hub e even cut, while the poly-resin spokes hel ; even when navigating over curbs and ot r life.: Michelin Spacer - 5/8in ID x 5/8in OD Click Here to View Complete Tire Selection Tire - 13x6.50-6 Nhs (4 Ply)	height p ther 4				
0 32 33	radius mowers, and co which helps ensure the dampen the ride for en bumps. They are design RTMT34193 & Wheels TIRES RCT5121861	npletely eliminate the rist mower deck produces an ahanced operator comfort ned to provide a long wea 1-523009, 125-5581,	k of flat tires. They have a consistent hub neven cut, while the poly-resin spokes hel c, even when navigating over curbs and ot r life.: Michelin Spacer - 5/8in ID x 5/8in OD Click Here to View Complete Tire Selection Tire - 13x6.50-6 Nhs (4 Ply) Carlisle Smooth Tire & Wheel - 13x6:50-6	height p ther 4 2 2				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Radius E-Series Parts

48in Rotary Mower - Model RAE720CKC48300 Caster Wheel



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
33	R117-0361	117-0361	Tire & Wheel - 13x6.50-6 Pneumatic	1	
33	R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	1	
33	RZSM422-0027-00		Tire & Wheel - 13x6.50-6 Carlisle Smooth	1	
Othe	r Parts Available				
50	R126-4312-01	126-4312-01	Fork - Caster	2	
51	R3234-5	3234-5	Bolt - 5/16-18x3/4 Hx Ser Was HD	2	
52	R127-0068	127-0068	Spanner Bushing - Castor Wheel	2	
53	R32128-23	32128-23, 99-5107	Nut - Lock Hex Flanged 1/2-13	2	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.