


Zero Turn Mower with 52in Deck - Model 74264TE Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Zero Turn Mower with 52in Deck - Model 74264TE Caster Wheel

No	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantit
ïres	& Wheels				
0	TIRES		Click Here to View Complete Tire Selection	0	
41	R109-9127	109-9124, 109-9125, 109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2	
)ptio	onal Michelin Tweel 1	Tires			
30	RTMT73818	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 140-4896	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
	radius mowers, and o which helps ensure the dampen the ride for the	completely eliminate the ris he mower deck produces an	replace the existing front casters on zero sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes hel t, even when navigating over curbs and ot ar life.:	height p	
30	RTMT41011	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
30	Detail Description: M radius mowers, and o which helps ensure th dampen the ride for o	126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896 ichelin X Tweel Turf casters completely eliminate the ris the mower deck produces an	Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes hel t, even when navigating over curbs and ot	turn height p	
30	Detail Description: M radius mowers, and o which helps ensure th dampen the ride for o	126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896 ichelin X Tweel Turf casters completely eliminate the ris he mower deck produces an enhanced operator comfor	Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes hel t, even when navigating over curbs and ot	turn height p	

are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Zero Turn Mower with 52in Deck - Model 74264TE Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
70	R116-6705-01	116-6705-01	Fork - Caster	2	
71	R103-4882	103-4882	Grease Cap - Castor	2	
72	R3296-51	3296-51, 3296-81	Nut - Nylon Lock 3/4-10 Gr 8	2	
73	R1-633508	1-633508	Washer - Spring Disc	3	
74	R254-94	1-543509, 254-94, 32-8090, 32-8240, 32-9640, 40440, 62-3330	Tapered Bearing Cone	4	
75	R254-72	01-103-0050, 01-103-0120, 01-103-0140, 1-543508, 254-71, 254-72, 40439, 62-3340, 99-4511	Cup - Bearing	4	
76	R116-5647	116-5647	Seal - Grease	2	
77	R325-24	325-24	Bolt - 1/2-13 x 9 Hx HD Gr 5	2	
78	RF5003	32127-29, 32131-5, 32132-5, 3296-23	Locknut - ESNA 1/2-13	2	
79	R103-2768	103-2768	Guard - Seal	4	
80	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	
81	R103-3051	103-3051	Spacer - Nut - Hardened	4	
82	R103-5156	103-5156	Axle- Caster	2	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Zero Turn Mower with 52in Deck - Model 74264TE Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
83	R103-0063	103-0063	Seal - Grease	4	
84	R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.