


## Replaces John Deere 3225C Reel Mower

Parts

*Medium Verti-Cut Unit Verti-Cut Reel & Frame* 



## Replaces John Deere 3225C Reel Mower Parts



*Medium Verti-Cut Unit Verti-Cut Reel & Frame* 

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
1	RAMT2703	AMT2703, ET17719	Blade - Vertical Mower	27	
2	R150209C	TCU26776	Verti-Cut Blade - Carbide Tipped 2mm	27	

Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:

3 RAMT2574 AMT2574 Frame - Verticut 1   4 RMT7294 MT2647, MT7294 Housing - Reel 2   5 RAMT2704 AMT2704, MT169 Strap - Verticut Shield 1   6 RMT6476 MT6476 Counterweight 1   7 R19M8008 19M8008 Bolt - Hex HD M8-1.25 x 35 6   8 R302-5 JD7797, JD7842, JD7844 Fitting - Grease 4   9 R170714 E14814 Fitting - Pressure Relief 2   10 R254-79 JD8226 Cup - Bearing 2					
4 RMT7294 MT7294 Housing - Reel 2   5 RAMT2704 AMT2704, MT169 Strap - Verticut Shield 1   6 RMT6476 MT6476 Counterweight 1   7 R19M8008 19M8008 Bolt - Hex HD M8-1.25 x 35 6   8 R302-5 JD7797, JD7842, JD7844 Fitting - Grease 4   9 R170714 E14814 Fitting - Pressure Relief 2	3	RAMT2574	AMT2574	Frame - Verticut	1
5 RAM12704 MT169 Strap - Verticut Shield 1   6 RMT6476 MT6476 Counterweight 1   7 R19M8008 19M8008 Bolt - Hex HD M8-1.25 x 35 6   8 R302-5 JD7797, JD7842, JD7842, JD7844 Fitting - Grease 4   9 R170714 E14814 Fitting - Pressure Relief 2	4	RMT7294	-	Housing - Reel	2
7 R19M8008 19M8008 Bolt - Hex HD M8-1.25 x 35 6   8 R302-5 JD7797, JD7842, JD7842, JD7844 Fitting - Grease 4   9 R170714 E14814 Fitting - Pressure Relief 2	5	RAMT2704	-	Strap - Verticut Shield	1
8 R302-5 JD7797, JD7842, JD7842, JD7844 Fitting - Grease 4   9 R170714 E14814 Fitting - Pressure Relief 2	6	RMT6476	MT6476	Counterweight	1
8 R302-5 JD7842, JD7844 Fitting - Grease 4   9 R170714 E14814 Fitting - Pressure Relief 2	7	R19M8008	19M8008	Bolt - Hex HD M8-1.25 x 35	6
	8	R302-5	JD7842,	Fitting - Grease	4
10 <b>R254-79</b> JD8226 Cup - Bearing 2	9	R170714	E14814	Fitting - Pressure Relief	2
	10	R254-79	JD8226	Cup - Bearing	2

Detail Description: Use R254-79M installation mandrel to properly install race.:

11 <b>R254-78</b>	JD8188	Tapered Bearing Cone	2
12 <b>RET14566</b>	ET14566	Seal - Reel	2
13 <b>RET16704</b>	ET16704	Retainer	1
14 <b>RR30587</b>	30587, R30587	Pin - Dowell 1/4 Dia. x .75	2
15 <b>RAMT1479</b>	AMT1479	Chain - Link	1

## Replaces John Deere 3225C Reel Mower Parts

*Medium Verti-Cut Unit Verti-Cut Reel & Frame* 



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
16	R24H1682	24H1682	Washer - 13/32 x 7/8 x 1/8	1	
17	R11M7012	11M7012	Pin - Cotter 1/8 x 5/8	1	
18	RH135891	H135891	Locknut - 10mm x 1.5 Flanged 10.9	6	
	Detail Description: High S	Strength:			
19	RET17715	ET17715	Shaft - Vertical Mower	1	
20	RET17713	ET17713	Spacer - Vertical Mower Shaft	81	
21	R150230		Spacer - 1/2 Ventilated V-Cut	26	
22	RC17964	C17964	Ring - Retaining HD	1	
23	R24H1513	24H1513	Washer	1	
24	RET17053	ET17053	Nut - 1-1/8-7 Jam Incl Set Screw	1	
25	R19M7865	19M7865	Bolt - Hex Washer M8 x 16	2	
26	R14M7298	14M7298	Nut - 8mm x 1.25 Flanged	6	
27	RET17914	ET17914	Rubber Isolator - Verticut	1	
28	R03M7232	03M7232	Bolt - Carriage M6-1.0 x 25	3	
29	R14M7397	14M7397, 14M7463	Locknut - 6mm x 1.0 ESNA Flanged	3	
30	RMT3015	MT3015	Bracket - RH - Extended	2	
31	R03M7184	03M7184	Bolt - Carriage M8	4	
32	R22H1004	19H3003	Screw - Set 1/4-28 x 1/2	4	
33	R3219-1	14H860	Nut - 1/4-28	4	
34	RAMT5112	AMT5112	Bracket - Roller RH Rear	1	
35	RAMT5113	AMT5113	Bracket - Roller LH Rear	1	

## Replaces John Deere 3225C Reel Mower Parts



*Medium Verti-Cut Unit Verti-Cut Reel & Frame* 

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
36	R03M7307	03M7307	Bolt - Carriage M10	2	
38	R24H1307	24H1307	Washer - Flat 13/32 x 1 x 1/16	2	
39	R14M7517	14M7517	Locknut - 10mm x 1.5 ESNA	2	
40	R19M7383	19M7383	Bolt - Rear Roller Adj 55 mm Long	2	
41	R3245-35	22H841	Screw - Set 1/4-28 x 1/4	1	
42	RU45916	14M7298, U45916	Locknut - 10-24 ESNA	1	
43	RAET10139	AET10139	Cable - Roller Scraper	1	
44	RAET10111	AET10111, AMT2876	Roller - Smooth Tubular Steel	1	

Detail Description: This tubular steel roller uses greasable "water-pump" style bearings.:

45	RAMT1060	AMT1060	Roller - Smooth Tubular Steel	1		
	Detail Description: This tubular steel roller uses greasable "water-pump" style bearings.:					
46	RMT6483	MT6483	Nut - Adjusting Rear Roller	2		
47	RET14592	ET14592	Spring - Reel Bearing	1		
48	R453011	24M7096	Washer - Flat 3/8 SAE Y/Zinc	2		
49	RAMT2261	AMT2261	Kit - Bolt w/Clip	2		
50	RMT6517	MT6517	Label - Warning	2		
51	R14M7296	14M7296	Nut - 10mm x 1.5 Flanged	2		
52	RAMT2608	AMT2608	Shield - Verticut	1		
53	R500534		Bearing - with Cup	2		
	Detail Description: Kit includes: 1 og P254 78, Regring Cong & P254 79 Regring Cong:					

Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:

R&R	Replaces John Deere 3225C Reel Mower
Products	Parts
Products	Medium Verti-Cut Unit



*Verti-Cut Reel & Frame* 

ltem <b>R&amp;R</b> No <b>Part No.</b>	OEM Part No.	Description		Order antity
55 <b>RAET11038</b>	AET11038, AET11039, AT11038	Coupler - V-Cut 8 Tooth	1	