

## Replaces John Deere 3235A Reel Mower Parts



Medium Verti-Cut Unit Verti-Cut Reel & Frame





Item R&R

## Replaces John Deere 3235A Reel Mower Parts



Order

Qty

Medium Verti-Cut Unit Verti-Cut Reel & Frame

OEM

| _No  | Part No.  | Part No.            | Description                             | Req | Quantity |  |  |
|--|---|---------------------|---|-----|----------|--|--|
| Verti  | -Cut Blades   |                     |   |     |          |  |  |
| 1  | RAMT2703  | AMT2703,<br>ET17719 | Blade - Vertical Mower                  | 27  |          |  |  |
| 2  | R150209C  | TCU26776            | Verti-Cut Blade - Carbide Tipped<br>2mm | 27  |          |  |  |
|  | Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<br>-SBR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.: |                     |   |     |          |  |  |
| Othe   | r Parts Available   |                     |   |     |          |  |  |
| 10   | RET17715  | ET17715             | Shaft - Vertical Mower                  | 1   |          |  |  |
| 11   | RET17053  | ET17053             | Nut - 1-1/8-7 Jam Incl Set Screw        | 1   |          |  |  |
| 12   | R3245-35  | 22H841              | Screw - Set 1/4-28 x 1/4                | 1   |          |  |  |
| 13   | RET17713  | ET17713             | Spacer - Vertical Mower Shaft           | 80  |          |  |  |
| 14   | RC17964   | C17964              | Ring - Retaining HD                     | 1   |          |  |  |
| 15   | RET14592  | ET14592             | Spring - Reel Bearing                   | 1   |          |  |  |
| 16   | RET16704  | ET16704             | Retainer                                | 1   |          |  |  |
| 17   | RET14566  | ET14566             | Seal - Reel                             | 2   |          |  |  |
| 18   | R254-79   | JD8226              | Cup - Bearing                           | 2   |          |  |  |
| Detail Description: Use R254-79M installation mandrel to properly install race.: |   |                     |   |     |          |  |  |
| 19   | R254-78   | JD8188              | Tapered Bearing Cone                    | 2   |          |  |  |
| 20   | R170714   | E14814              | Fitting - Pressure Relief               | 2   |          |  |  |
| 21   | RET17914  | ET17914             | Rubber Isolator - Verticut              | 1   |          |  |  |
| 22   | RAMT2704  | AMT2704,<br>MT169   | Strap - Verticut Shield                 | 1   |          |  |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces John Deere 3235A Reel Mower Parts



Medium Verti-Cut Unit Verti-Cut Reel & Frame

|    | R&R<br>Part No.  | OEM<br>Part No.                   | Description                 | Qty<br>Req | Order<br>Quantity |  |  |
|----|--|-----------------------------------|-----------------------------|------------|-------------------|--|--|
| 23 | R03M7232   | 03M7232                           | Bolt - Carriage M6-1.0 x 25 | 3          |                   |  |  |
| 24 | R14M7303   | 14M7303                           | Nut - 6mm x 1.0 Flanged     | 3          |                   |  |  |
| 25 | R500534  |                                   | Bearing - with Cup          | 2          |                   |  |  |
|    | Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: |                                   |                             |            |                   |  |  |
| 26 | RAET11038  | AET11038,<br>AET11039,<br>AT11038 | Coupler - V-Cut 8 Tooth     | 1          |                   |  |  |