




# Replaces R&R Products Sand Max 518

## Parts

*Traction Unit*

*Front Wheel & Steering*



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 518

## Parts

Traction Unit

Front Wheel & Steering



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

### Tires

|   |                  |         |                                               |   |  |
|---|------------------|---------|-----------------------------------------------|---|--|
| 1 | <b>RCT537050</b> | R546547 | Tire - 22x11.00-8 Nhs (2 Ply) Carlisle Knobby | 1 |  |
|---|------------------|---------|-----------------------------------------------|---|--|

***Detail Description:** Elevate your off-road adventures with the Carlisle Knobby tire. This tire offers a unique design with options available in both solid and dimple tread patterns. Whether you're tackling rugged trails or navigating through challenging terrain, the Carlisle Knobby tire delivers maximum performance and traction. It is specially designed for ATVs and golf carts, providing the reliability and durability you need for your outdoor adventures. Upgrade your ATV or golf cart with the Carlisle Knobby tire and experience the difference it makes in your outdoor excursions. Maximize your traction, durability, and versatility. Buy the Carlisle Knobby tire today and unleash the full potential of your off-road adventures.:*

|   |                 |                                                |                   |   |  |
|---|-----------------|------------------------------------------------|-------------------|---|--|
| 2 | <b>R94-6116</b> | R114-4643,<br>R242-53,<br>R242-86,<br>R46-4810 | Rim - 8x8.5 White | 1 |  |
|---|-----------------|------------------------------------------------|-------------------|---|--|

|   |                |                                             |                     |   |  |
|---|----------------|---------------------------------------------|---------------------|---|--|
| 3 | <b>R232-24</b> | R232-35,<br>R341680,<br>R363233,<br>R814687 | Stem - Valve w/ Cap | 1 |  |
|---|----------------|---------------------------------------------|---------------------|---|--|

### Hoses

|    |                  |  |                     |   |  |
|----|------------------|--|---------------------|---|--|
| 4  | <b>R93-5385</b>  |  | Hydraulic Hose Assy | 1 |  |
| 5  | <b>R108-8433</b> |  | Hydraulic Hose Assy | 1 |  |
| 6  | <b>R110-6303</b> |  | Hydraulic Hose Assy | 1 |  |
| 7  | <b>R108-6508</b> |  | Hydraulic Hose Assy | 1 |  |
| 8  | <b>R105-4347</b> |  | Hydraulic Hose Assy | 1 |  |
| 9  | <b>R108-8411</b> |  | Tube Assy           | 1 |  |
| 10 | <b>R108-8409</b> |  | Tube Assy           | 1 |  |
| 11 | <b>R108-8414</b> |  | Tube Assy           | 1 |  |
| 12 | <b>R108-8415</b> |  | Tube Assy           | 1 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 518 Parts

*Traction Unit  
Front Wheel & Steering*



| Item No                      | R&R Part No. | OEM Part No.                                                                                                                       | Description                    | Qty Req | Order Quantity |
|------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------|----------------|
| 13                           | R108-8432    | R108-8432-01                                                                                                                       | Tube Assy                      | 1       |                |
| 14                           | R108-8431    |                                                                                                                                    | Tube Assy                      | 1       |                |
| <b>Other Parts Available</b> |              |                                                                                                                                    |                                |         |                |
| 20                           | R340-89      |                                                                                                                                    | Hydraulic Fitting - 45 Deg     | 2       |                |
| 21                           | R237-30      | R23-6320                                                                                                                           | O-Ring - Seal                  | 7       |                |
| 22                           | R3274-93     |                                                                                                                                    | Bolt - Soc HD Cap              | 4       |                |
| 23                           | R242-50      |                                                                                                                                    | Nut - 1/2-20 Wheel             | 4       |                |
| 25                           | R322-12      | 322-12,<br>R01-150-0730,<br>R01-178-0520                                                                                           | Bolt - 5/16-18 x 2 1/2 Hx HD   | 1       |                |
| 26                           | R69-9760     |                                                                                                                                    | Cover Plate - Hyd Line Clamp   | 3       |                |
| 27                           | R56-7976     |                                                                                                                                    | Clamp - Tube                   | 6       |                |
| 28                           | R108-0573G   |                                                                                                                                    | Castor Fork Assy - Green       | 1       |                |
| 29                           | RF5003       | 3296-23,<br>R32127-29,<br>R32131-5,<br>R32132-5,<br>R3296-23,<br>R64229-05,<br>RZS04021-07                                         | Locknut - ESNA 1/2-13          | 2       |                |
| 30                           | R400408      | 325-6,<br>R01-150-0090,<br>R01-178-0812,<br>R20-87-AD,<br>R20-87-AGD,<br>R20-87-AGF,<br>R3226-2,<br>R325-6,<br>R513376,<br>R513378 | Bolt - Hex HD 1/2-13 x 1-1/2   | 4       |                |
| 31                           | R104-8301    | R109-6658,<br>R133-7570                                                                                                            | Locknut - 3/8-16 Nylon Flanged | 3       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 518 Parts

Traction Unit  
Front Wheel & Steering



| Item No | R&R Part No. | OEM Part No.                                                                                                                                                                                                                                                   | Description                      | Qty Req | Order Quantity |
|---------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------|----------------|
| 32      | R88-8350     |                                                                                                                                                                                                                                                                | Tab-Bearing                      | 1       |                |
| 33      | R85-8950     |                                                                                                                                                                                                                                                                | Flange - Ball Bearing            | 1       |                |
| 34      | R251-352     |                                                                                                                                                                                                                                                                | Bearing                          | 1       |                |
| 35      | R85-8940     |                                                                                                                                                                                                                                                                | Flange - w/Zerk                  | 1       |                |
| 36      | R400264      | 323-7,<br>R01-150-0180,<br>R01-178-0610,<br>R19H1732,<br>R20-48-AD,<br>R20-48-AGD,<br>R32-9160,<br>R3224-3,<br>R323-29,<br>R323-7,<br>R400264,<br>R908035P                                                                                                     | Bolt - Hex HD 3/8-16 x 1-1/4     | 3       |                |
| 37      | R302-5       | R173-0,<br>R21-6010,<br>R255825,<br>R302-37,<br>R302-47,<br>R302-57,<br>R302-58,<br>R302-6,<br>R31-0300,<br>R32-9660,<br>R471214,<br>R471223,<br>R471226,<br>R60-0800,<br>R62-3880,<br>R92-4181,<br>RJD7797,<br>RJD7842,<br>RJD7844,<br>RM0004,<br>RZS48114-04 | Fitting - Grease                 | 1       |                |
| 38      | R151712      | R108-6471,<br>R112-9177,<br>R94-9024                                                                                                                                                                                                                           | LED Oval Work Light - 12 LED 30w | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 518 Parts

*Traction Unit  
Front Wheel & Steering*



| Item No | R&R Part No. | OEM Part No.                         | Description                   | Qty Req | Order Quantity |
|---------|--------------|--------------------------------------|-------------------------------|---------|----------------|
| 39      | R104-2024    |                                      | Nut-Lock                      | 1       |                |
| 40      | R108-5431    |                                      | Pivot-Steering                | 1       |                |
| 41      | R3216-16     |                                      | Bolt - Hex HD                 | 1       |                |
| 42      | R110-6314    |                                      | Spindle                       | 1       |                |
| 43      | R110-6310    |                                      | Front Wheel Hub Assy          | 1       |                |
| 44      | R85-6540     |                                      | Stud - Drive 1/2-20 x 2       | 4       |                |
| 45      | R108-2924    |                                      | Valve - Steering              | 1       |                |
| 46      | R150946      |                                      | Wheel - Steering 14 in        | 1       |                |
| 47      | R150267      |                                      | Cap - Steering Wheel          | 1       |                |
| 48      | R66-3160     | R33114-020,<br>R43-0110,<br>R48-7710 | Bolt - Flanged Hex HD         | 4       |                |
| 49      | R108-8470    |                                      | Sleeve-Steering               | 1       |                |
| 50      | R107-7589    |                                      | Tapered Bearing Cone - w/Seal | 2       |                |
| 51      | R107-7590    |                                      | Tapered Bearing Cup           | 2       |                |
| 52      | R458039      | R32151-36                            | Ring - Retaining              | 1       |                |
| 53      | R3296-29     | 3296-29,<br>R1-804256,<br>R915662P   | Locknut - 5/16-18 ESNA        | 1       |                |
| 54      | R108-8471    |                                      | Nut-Steering                  | 1       |                |
| 55      | R3245-1      | R244-19,<br>R32104-67                | Screw - Set 1/4-20 x 1/4      | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 518

## Parts

*Traction Unit*

*Front Wheel & Steering*



| Item No | R&R Part No. | OEM Part No.                                                                                               | Description                      | Qty Req | Order Quantity |
|---------|--------------|------------------------------------------------------------------------------------------------------------|----------------------------------|---------|----------------|
| 56      | R322-7       | R01-150-0750,<br>R01-150-0760,<br>R01-178-0512,<br>R20-28-AD,<br>R20-28-AGD,<br>R3223-4                    | Bolt - Hex HD 5/16-18 x 1-1/2    | 2       |                |
| 57      | R108-8435    |                                                                                                            | Guide-Hose                       | 1       |                |
| 58      | R94-7976     | R3213-2                                                                                                    | Bolt - 1/2-20 x 1 1/4 Hx HD      | 2       |                |
| 59      | R3256-26     | 3256-26,<br>R01-166-0540,<br>R01-166-0820,<br>R17-2530,<br>R24-13-BD,<br>R30-8570,<br>R356206,<br>R48-9390 | Washer - 1/2 in                  | 2       |                |
| 60      | R108-8483    |                                                                                                            | Spacer-Plain                     | 2       |                |
| 61      | R108-8482    |                                                                                                            | Bushing - Sleeve 3/4 x 7/8 x 5/8 | 2       |                |
| 62      | R108-8481    |                                                                                                            | Yoke and Bushing Assy            | 1       |                |
| 63      | R3256-42     |                                                                                                            | Washer-Flat                      | 1       |                |
| 64      | R302-40      | R302-13                                                                                                    | Fitting - Grease                 | 1       |                |
| 65      | R32151-104   |                                                                                                            | Ring - Retaining, Ex             | 1       |                |
| 66      | R114-0620    | R107-3528                                                                                                  | Hydraulic Cylinder               | 1       |                |
| 67      | R106-6774    | R92-5838,<br>R92-5838-01                                                                                   | Ball Joint                       | 1       |                |
| 68      | R150926      |                                                                                                            | Nut - Hex Jam M16-1.5            | 2       |                |
| 69      | R237-22      | R107-8844,<br>R232-72,<br>R237-78                                                                          | O-Ring                           | 2       |                |
| 70      | R340-132     |                                                                                                            | Hydraulic Fitting - 90 Deg       | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 518 Parts

*Traction Unit  
Front Wheel & Steering*



| Item No | R&R Part No. | OEM Part No.                                   | Description                      | Qty Req | Order Quantity |
|---------|--------------|------------------------------------------------|----------------------------------|---------|----------------|
| 71      | R237-21      |                                                | O-Ring                           | 2       |                |
| 72      | R32144-14    | R32104-32,<br>R32104-49                        | Bolt - Hex Washer 5/16-18 x 5/8  | 2       |                |
| 73      | R26-3790     |                                                | Nut - Hex - Wheel Motor 1-20     | 1       |                |
| 77      | R3230-6      |                                                | Bolt - Carraige                  | 1       |                |
| 78      | R108-8455G   |                                                | Bracket - Clamp - Green          | 1       |                |
| 79      | R104-8300    | R119-4041                                      | Locknut - 5/16-18 Flanged Y/Zinc | 3       |                |
| 81      | R108-2948    |                                                | Hydraulic Motor - Wheel          | 1       |                |
| 82      | R237-80      | R327-80                                        | O-Ring                           | 2       |                |
| 83      | R322-10      | R20-30-AD,<br>R24-7180,<br>R3223-6,<br>R513347 | Bolt - Hex HD 5/16-18 x 2        | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.