



Cutting Unit Rollers







Cutting Unit Rollers

|       | R&R<br>Part No.   | OEM<br>Part No.     | Description                           | Qty<br>Req | Order<br>Quantity |  |  |
|-------|---|---------------------|---------------------------------------|------------|-------------------|--|--|
| R&R F | Front Rollers   |                     | ·                                     |            |                   |  |  |
| 3     | R62-6200  | 59-6100,<br>62-6200 | Roller - Smooth Tubular Steel         | 0          |                   |  |  |
|       | Tech Note: Constructed with a 34" body length and a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:   |                     |                                       |            |                   |  |  |
| 4     | R84-6180  | 84-6180             | Roller - Smooth Tubular Steel         | 0          |                   |  |  |
|       | Tech Note: Constructed with a 33" body length and a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:   |                     |                                       |            |                   |  |  |
| 5     | R62-6130R   |                     | Roller - Grooved Repairable Steel     | 0          |                   |  |  |
|       | Tech Note: Constructed with a 34" body length, a 35" through shaft and tapered bearings for extended life. This roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:   |                     |                                       |            |                   |  |  |
| 6     | R150715   |                     | Roller - Grooved Repairable Steel     | 0          |                   |  |  |
|       | Tech Note: Constructed with a 33" body length, a 36" through shaft and tapered bearings for extended life. This roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:   |                     |                                       |            |                   |  |  |
| 7     | R1503750  |                     | Roller - Grooved UHMW<br>Polyethylene | 0          |                   |  |  |
|       | Tech Note: This roller fits the 450D with a 35" shaft only. Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW mat <click for="" more="" part#="">:</click> |                     |                                       |            |                   |  |  |
| 8     | R84-6080  | 84-6080             | Roller - Grooved Cast Iron            | 0          |                   |  |  |
|       | Tech Note: This heavy duty cast iron roller with a 33" body length, a 36" shaft uses greasable tapered bearings for extended life.:   |                     |                                       |            |                   |  |  |
| R&R F | Rear Rollers  |                     |                                       |            |                   |  |  |
| 1     | R59-5630  | 59-5630             | Roller - Smooth Tubular Steel         | 0          |                   |  |  |
|       | Tech Note: Constructed with a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:   |                     |                                       |            |                   |  |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Cutting Unit Rollers

|      | R&R<br>Part No.   | OEM<br>Part No.   | Description                          | Qty<br>Req | Order<br>Quantity |  |  |
|------|---|---|--------------------------------------|------------|-------------------|--|--|
| 2    | R1503800  |   | Roller - Smooth UHMW<br>Polyethylene | 0          |                   |  |  |
|      | Tech Note: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:  |   |                                      |            |                   |  |  |
| Over | haul Kits   |   |                                      |            |                   |  |  |
| 20   | R100160   |   | Overhaul Kit - Roller                | 1          |                   |  |  |
|      | Tech Note: Includes 2 ea.: R150504 Washers, R237-54 O-rings, R253-117 Seals, R253-122 Seals,<br>R254-78 Bearing, R254-79 Bearing Cups, R302-5 Grease Fittings, R3296-15 Locknuts, & R59-5690<br>Wear Sleeves:                           |   |                                      |            |                   |  |  |
| 21   | R101399   |   | Overhaul Kit - UHMW 2 Pc Roller      | 1          |                   |  |  |
|      | Tech Note: Fits all R&R 2-1/2" - 3-1/2" Dia. Black UHMW Plastic Rollers that do not use ball bearings Includes 2 ea.: R1503230 Star Washers, R1503470 Seals, R150333 Thrust Washers, R3296-15 Locknuts, R1503471 Bronze Thrust Washers: |   |                                      |            |                   |  |  |
| Othe | r Parts Available   |   |                                      |            |                   |  |  |
| 30   | R150501   |   | O-Ring - Roller End                  | 2          |                   |  |  |
| 31   | R150502   |   | Roller End - Rear                    | 2          |                   |  |  |
| 32   | R150503   |   | Pin - Drive Roller End               | 0          |                   |  |  |
| 33   | R62-6040  | 62-6040   | Shaft - 35 Roller                    | 1          |                   |  |  |
| 34   | R84-6070  | 84-6070   | Shaft - 36 Roller                    | 1          |                   |  |  |
| 35   | R253-122  | 253-122,<br>30-0640   | Seal                                 | 2          |                   |  |  |
| 36   | R254-79   | 01-103-0060,<br>01-103-0130,<br>1-633584,<br>252-106,<br>254-79,<br>32-7800,<br>32-9590 | Cup - Bearing                        | 2          |                   |  |  |
|      | Tech Note: Use R254-79M installation mandrel to properly install race.:   |   |                                      |            |                   |  |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Cutting Unit Rollers

|    | R&R<br>Part No. | OEM<br>Part No.  | Description                  | Qty<br>Req | Order<br>Quantity |
|----|-----------------|--|------------------------------|------------|-------------------|
| 37 | R254-78         | 01-102-0060,<br>01-102-0130,<br>1-633585,<br>254-78,<br>32-7790,<br>32-9580,<br>93-4813  | Tapered Bearing Cone         | 2          |                   |
| 38 | R237-54         | 237-35,<br>237-46,<br>237-54,<br>253-35,<br>353-308  | O-Ring - Small               | 2          |                   |
| 39 | R59-5690        | 59-5690  | Sleeve - Wear                | 2          |                   |
| 40 | R253-117        | 253-117,<br>253-165  | Seal - Outer Triple Lip      | 2          |                   |
| 41 | R150504         | 66-5620  | Washer                       | 2          |                   |
| 42 | R3296-15        | 116-7306,<br>32118-5,<br>32127-23,<br>32127-47,<br>3296-15   | Locknut - 3/4-16 Nylon Jam   | 2          |                   |
| 43 | R302-5          | 21-6010,<br>302-11,<br>302-37,<br>302-47,<br>302-5,<br>302-57,<br>302-58,<br>302-6,<br>31-0300,<br>32-9660,<br>60-0800,<br>62-3880,<br>92-4181 | Fitting - Grease             | 0          |                   |
| 44 | R150676         |  | Spacer - 2-3/4 Dia x 1-1/4 L | 0          |                   |
| 45 | R150672         |  | Washer - 2-3/4 Roller        | 0          |                   |
| 46 | R150718         |  | Roller End - 2-3/4 Threaded  | 2          |                   |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Cutting Unit Rollers

|    | R&R<br>Part No. | OEM<br>Part No.               | Description                    | Qty<br>Req | Order<br>Quantity |
|----|-----------------|-------------------------------|--------------------------------|------------|-------------------|
| 47 | R150691         | 150691                        | Screw - Set Nyloc 3/8-16 x 3/8 | 4          |                   |
| 48 | R170714         | 302-34,<br>302-39,<br>62-3520 | Fitting - Pressure Relief      | 2          |                   |
| 49 | R62-6220        | 62-6220                       | Scraper - Front Solid Roller   | 1          |                   |
| 50 | R3234-11        | 3234-11                       | Bolt - Hex Washer HD           | 2          |                   |
| 51 | R59-5670        | 59-5670                       | Shaft - Rear Roller            | 1          |                   |
| 52 | R150687         |                               | Roller End - Threaded          | 2          |                   |
| 53 | R1503471        |                               | Washer - Thrust SAE660 Bronze  | 2          |                   |
| 54 | R1503470        |                               | Seal - Inner Wiper             | 2          |                   |
| 55 | R150333         |                               | Washer - Flat Keyed Outer SS   | 2          |                   |
| 56 | R1503230        |                               | Washer - Thrust Outer Keyed    | 2          |                   |
|    |                 |                               |                                |            |                   |